

GOVERNMENT OF TELANGANA
ABSTRACT

Public Services - MA &UD - Allegation of wasteful expenditure of Rs.27.52 Crores incurred on Sathupally Water Supply Improvement Scheme in Khammam District is contemplated without identifying source of water supply - Further action abated against Late Sri N. Komraiah, the then Executive Engineer (PH), Warangal, under Rule 9 (7) of the A.P. Revised Pension Rules, 1980 - Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig-II(i)) DEPARTMENT

G.O.RT.No. 330

Dated: 11/05/2016

Read the following:-

1. From G.A.(V&E) Department, V.R.No.77 (C.No.963/V&E/E1 /2012, dt.08.10.2012.
2. From the Engineer-in-Chief (PH) Lr. No.64/Spally/CS2/2012, Dated 7.1.2013.
3. Govt. Memo. No.25316/E.2/2012, dt.5.2.2014, 26.6.2014 & D.O. Lr. Dt.28.12.2015.
4. From the Engineer-in-Chief (PH) Lr. No.64/Spally/CS2/2012, Dated 2.1.2016.

--oOo--

ORDER:

In the reference 1st read above, General Administration (V&E) Department have submitted vigilance report on the allegations of wasteful expenditure of Rs. 27.52 crores, incurred on Water Supply Improvement Scheme to Sattupalli Municipality in Khammam District, which is lying ideal since, 2010, as the scheme is contemplated without identifying source of water supply.

2. In this regard, the Engineer-in-Chief (PH), Hyderabad vide reference 2nd read above has informed that one of the erring official mentioned in the Vigilance report Sri N. Komaraiah, the then Executive Engineer (PH), Warangal was expired on 13.11.2012. The Engineer-in-Chief (PH) has therefore, requested the Government to abate further action against him in the matter.

3. Government, after careful examination of the matter, in-consultation with advisory body have decided to abate disciplinary action against Late Sri N. Komaraiah, the then Executive Engineer (PH), Warangal Division, in terms of Rule 9 (7) of the A.P. Revised Pension Rules, 1980.

4. Accordingly, Government have instructed the Engineer-in-Chief (PH), Hyderabad, to arrive the loss if any, caused due to the deceased charged officers and furnish the same to Government, vide reference 3rd read above, for issue further orders in the matter.

5. In response, the Engineer-in-Chief (PH), Telangana, Hyderabad, vide reference 4th read above, has informed that the scheme was originally sanctioned for Rs.38.20 crores with 2007 - 2008 Standard Schedule of Rates and if the scheme had been taken up with 2015 - 16 Standard Schedule of Rates, the cost of the scheme would have been more than RS.50.00 crores taking into consideration 5% increase in rates for each year. Hence, the expenditure spent on this scheme is beneficial, fruitful and will serve the purpose i.e., supply of treated potable and safe drinking water to the people of Sathupally. The Engineer-in-Chief (PH), Telangana, Hyderabad, has therefore, stated that there is no expenditure wastage and as such there is no loss caused by the charged officers.

P.T.O

// 2 //

6. Accordingly, Government hereby order to abate further disciplinary action against Late N. Komaraiah, the then Executive Engineer(PH) Warangal Division, in terms of Rule 9 (7) of the A.P. Revised Pension Rules, 1980.

7. The Engineer-in-Chief (PH), Telangana, Hyderabad shall take further necessary action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

M.G.GOPAL

SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (PH), Telangana, Hyderabad.

Copy to:

The Secretary to Vigilance Commissioner,

Telangana Vigilance Commission, Hyderabad.

The Gen. Admn.(V&E) Department, BEKR Bhavan, Telangana, Hyderabad.

SF/SC

//FORWARDED::BY::ORDER//

SECTION OFFICER